

000-1054-02 G

b duplex



NO.212300546146687



# 运输危险性鉴定书

## Hazard Classification and Identification Report for Transport of Goods

### 锂电池 — 符合包装说明967第II部分

样品名称 : 扫描仪 (内置二次锂离子电池组, 电池型号C1222A1, 3.6V, 2750mAh, 9.9Wh)

Sample name: IMAGE SCANNER (Including Rechargeable Li-ion Battery, Battery Model C1222A1, 3.6V, 2750mAh, 9.9Wh)

委托单位 : 虹光精密工业(苏州)有限公司  
AVISTON (SUZHOU) CO.,LTD.

生产单位 : 虹光精密工业(苏州)有限公司  
AVISTON (SUZHOU) CO.,LTD.



上海化工院检测有限公司  
SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD.



# 运输危险性鉴定书

NO. 212300546146687

Page 1/3

## Hazard Classification and Identification Report for Transport of Goods

样品名称 Sample Name	中文 Chinese	扫描仪 (内置二次锂离子电池组, 电池型号C1222A1, 3.6V, 2750mAh, 9.9Wh)				
	英文 English	IMAGE SCANNER (Including Rechargeable Li-ion Battery, Battery Model C1222A1, 3.6V, 2750mAh, 9.9Wh)				
委托单位 Applicant	虹光精密工业(苏州)有限公司 AVISTON (SUZHOU) CO.,LTD.					
生产单位 Manufacturer	虹光精密工业(苏州)有限公司 AVISTON (SUZHOU) CO.,LTD.					
检验方法、程序 Inspection method and procedure	国际航空运输协会《危险品规则》64版 IATA Dangerous Goods Regulations (DGR) 64th Edition					
样品外观 Sample appearance	黑色塑胶外壳 Black Plastics cement shell					
包装件信息 Package information	锂电池总净重≤5kg。 Lithium batteries total net weight≤5kg.					
序号 NO.	电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement	单颗重量kg Unit weight	数量 Quantity
1	可充电锂离子单电芯电池 Rechargeable Li-ion single cell battery	C1222A1	2750mAh 9.9Wh	安装在设备内 Contained in equipment	0.0493	15
鉴定 结论 IDENTIFICATION CONCLUSION	<p>1. 危险性识别 (Hazards identification)</p> <p>锂离子电池。 Lithium ion battery.</p> <p>2. 空运按照国际航空运输协会《危险品规则》办理的类项 (Suggestion according to IATA DGR)</p> <p>该物品满足包装说明967基本要求和第II部分的规定。 The article meets the requirements in General Requirements and section II of Packaging Instruction 967.</p> <p>3. 包装要求 (Packaging requirements)</p> <p>按包装说明967第II部分要求办理。 The article is packaged according to the Packaging Instruction 967 section II.</p>					
	<p>检验日期: 2023-09-27      签发日期: 2023-09-27      生效日期: 2023-09-27</p> <p>Inspection Date:      Issue Date:      Effective Date:</p>					
备注 Comment						

批准  
Approver: 王宇

审核  
Checker: 董学胜

主检  
Appraiser: 孙清





# 运输危险性鉴定书

Hazard Classification and Identification Report  
for Transport of Goods

NO. 212300546146687

Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things
1	<p>本鉴定书所述锂电池按照《危险品规则》(64版) 3.9.2.6.1(e)规定的质量管理体系进行制造。 本鉴定书所述锂电池不属于因安全原因召回的锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IATA DGR 64th 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons.</p>
2	<p>本鉴定书所述锂电池已通过联合国《试验和标准手册》第III部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. UN38.3试验概要编号 The UN38.3 Test Summary No. (s) 812200700249712 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.</p> 
3	<p>设备装入由适当材料构造的坚固的刚性外包装内。 The equipment is packed in strong rigid outer packagings constructed of suitable material.</p>
4	<p>电池具有适当的防短路措施。 设备固定在外包装内以免移动, 并配备防止发生意外启动的有效手段。 当同一外包装中含多台设备时, 应对设备进行包装并防止与其他设备接触。 Cells and batteries are properly protected to prevent short circuits. The equipment is secured against movement within the outer packaging and is equipped with an effective means of preventing accidental activation. Where multiple pieces of equipment are packed in the same outer packaging, the equipment must be packed to prevent contact with other equipment.</p>
5	<p>—当使用航空货运单时, 如果托运货物中有贴锂电池标记的包装件, 那么必须在“货物性质和数量”栏注明“锂离子电池符合包装说明967第II部分”。 —如果在一份航空货运单内包含来自多个包装说明第II部分的锂电池包装件时, 对于不同的锂电池类型和/或包装说明可以合并为一份声明, 前提是声明中注明适用的锂电池类型和包装说明编号。 —Where a consignment includes packages bearing the lithium battery mark, the words “lithium ion batteries in compliance with Section II of PI 967” must be included on the air waybill, when an air waybill is used. The information should be shown in the “Nature and Quantity of Goods” box of the air waybill. —Where packages of Section II lithium batteries from multiple packing instructions are included on one air waybill, the compliance statement for the different lithium battery types and/or packing instructions may be combined into a single statement provided that the statement identifies the applicable lithium battery type(s) and packing instruction numbers.</p>
6	<p>每个包装件必须按DGR图7.1.C所示做耐久清晰的标记。包装件必须具有足够的尺寸在其一个面上粘贴未被折叠的标记。注: 63版DGR图7.1.C所示锂电池标记可继续使用至2026年12月31日。 Each package must be durably and legibly marked with the mark shown in Figure 7.1.C in IATA DGR. The package must be of such a size that there is adequate space to affix the mark on one side of the package without the mark being folded. Note: The mark illustrated in Figure 7.1.C of the 63rd edition of DGR may continue to be used until 31 December 2026.</p>
7	/

-验证码: 884626-








# 运输危险性鉴定书

Hazard Classification and Identification Report  
for Transport of Goods

NO. 212300546146687

Page 3/3



红色Red(+) 黑色Black(-) 11NR19/66  
二次锂离子电池组Rechargeable Li-ion Battery  
产品型号(Model): C1222A1  
标称电压(Nominal Voltage): 3.6Vdc  
额定容量(Rated Capacity): 2750mAh, 9.9Wh  
充电限制电压(Limited Charging Voltage): 4.2V  
制造商: 广东力科新能源有限公司  
Guangdong Pow-Tech New Power Co., Ltd.

MH61573



C1222A1  
223100020

\*\*\*报告结束\*\*\*

